

Belden Reference Chart

Belden No	Sheath	Alpha Wire (Alt)	UL Style	RS Type	Pairs/ Cores	AWG	Braided	Individual Screen	Collective Screen	Application	Eland Part No. Belden	Eland Part No. Belden Alt
8102	PVC	6222C	2919	232/423	2p	24	Yes	N/A	Yes	Multi-conductor, low capacitance computer cable	A4B8102	A3B8102PVC**
8102	LSHF	6222C	2919	232/423	2p	24	Yes	N/A	Yes	Multi-conductor, low capacitance computer cable	A4B8102NH	A3B8102LSZH**
8103	LSF	6223C	2919	232/423	3p	24	Yes	N/A	Yes	Multi-conductor, low capacitance computer cable	-	A3B8103LSF**
8104	PVC	6224C	2919	232/423	4p	24	Yes	N/A	Yes	Multi-conductor, low capacitance computer cable	A4B8104	A3B8104PVC**
8105	PVC	6225C	2919	232/423	5p	24	Yes	N/A	Yes	Multi-conductor, low capacitance computer cable	A4B8105	A3B8105PVC**
8106	PVC	6226C	2919	232/423	6p	24	Yes	N/A	Yes	Multi-conductor, low capacitance computer cable	A4B8106	A3B8106PVC**
8106	LSHF	6226C	2919	232/423	6p	24	Yes	N/A	Yes	Multi-conductor, low capacitance computer cable	A4B8106NH	A3B8106LSZH**
8108	PVC	6228C	2919	232/423	8p	24	Yes	N/A	Yes	Multi-conductor, low capacitance computer cable	A4B8108	A3B8108PVC**
8108	LSHF	6228C	2919	232/423	8p	24	Yes	N/A	Yes	Multi-conductor, low capacitance computer cable	A4B8108NH	A3B8108LSZH**
8110	PVC	6230C	2919	232/423	10p	24	Yes	N/A	Yes	Multi-conductor, low capacitance computer cable	A4B8110	A3B8110PVC**
8112	PVC	6230/12C	2919	232/423	13p	24	Yes	N/A	Yes	Multi-conductor - parallel digital video	A4B8112	A3B8112PVC**
8115	PVC	6230/15C	2919	232/423	15p	24	Yes	N/A	Yes	Multi-conductor, low capacitance computer cable	A4B8115	A3B8115PVC**
8118	PVC	6230/18C	2919	232/423	18p	24	Yes	N/A	Yes	Multi-conductor, low capacitance computer cable	A4B8118	A3B8118PVC**
8125	PVC	6230/25C	2919	232/423	25p	24	Yes	N/A	Yes	Multi-conductor, low capacitance computer cable	A4B8125	A3B8125PVC**
8162	LSHF	6316	2493	422	2p	24	Yes	Yes	Yes	Multi-conductor, low capacitance computer cable	A4B8162NH	A3B8162LSZH**
8162	LSF	6316	2493	422	2p	24	Yes	Yes	Yes	Multi-conductor, low capacitance computer cable	-	A3B8162LSF**
8163	LSHF	6317	2493	422	3p	24	Yes	Yes	Yes	Multi-conductor, low capacitance computer cable	A4B8163NH	A3B8163LSZH**
8163	LSF	6317	2493	422	3p	24	Yes	Yes	Yes	Multi-conductor, low capacitance computer cable	-	A3B8163LSF**
8164	PVC	6318	2493	422	4p	24	Yes	Yes	Yes	Multi-conductor, low capacitance computer cable	A4B8164	A3B8164PVC**
8164	LSHF	6318	2493	422	4p	24	Yes	Yes	Yes	Multi-conductor, low capacitance computer cable	A4B8164NH	A3B8164LSZH**
8166	PVC	6320	2493	422	6p	24	Yes	Yes	Yes	Multi-conductor, low capacitance computer cable	A4B8166	A3B8166PVC**
8167	PVC	6321	2493	422	7p	24	Yes	Yes	Yes	Multi-conductor, low capacitance computer cable	A4B8167	A3B8167PVC**
8167	LSHF	6321	2493	422	7p	24	Yes	Yes	Yes	Multi-conductor, low capacitance computer cable	A4B8167NH	A3B8167LSZH**
8168	PVC	6332	2493	422	8p	24	Yes	Yes	Yes	Multi-conductor, low capacitance computer cable	A4B8168	A3B8168PVC**
8170	PVC	6323	2493	422	10p	24	Yes	Yes	Yes	Multi-conductor, low capacitance computer cable	A4B8170	A3B8170PVC**
8175	PVC	6324	2493	422	15p	24	Yes	Yes	Yes	Multi-conductor, low capacitance computer cable	A4B8175	A3B8175PVC**
8178	PVC	6325	2493	422	18p	24	Yes	Yes	Yes	Multi-conductor, low capacitance computer cable	A4B8178	A3B8178PVC**
8185	PVC	6326	2493	422	25p	24	Yes	Yes	Yes	Multi-conductor, low capacitance computer cable	A4B8185	A3B8185PVC**

Belden No	Sheath	Alpha Wire (Alt)	UL Style	RS Type	Pairs/ Cores	AWG	Braided	Individual Screen	Collective Screen	Application	Eland Part No. Belden	Eland Part No. Belden Alt
8205	LSF	1895C			1p	20	N/A	N/A	N/A	Multi-conductor, high conductivity Copper Speaker cable, twisted jacket	-	A3B8205LSF**
8205	LSHF	1895C			1p	20	N/A	N/A	N/A	Multi-conductor, high conductivity Copper Speaker cable, twisted jacket	A4B8205NH	A3B8205LSZH**
8442	LSF	1172C			1p	22	N/A	N/A	N/A	Multi-conductor, high conductivity Copper Speaker cable, twisted jacket	-	A3B8442LSF**
8442	LSHF	1172C			1p	22	N/A	N/A	N/A	Multi-conductor, high conductivity Copper Speaker cable, twisted jacket	A4B8442NH	A3B8442LSZH**
8444	LSHF	1174C			4c	22	N/A	N/A	N/A	Multi-conductor, high conductivity Copper Speaker cable, twisted jacket	A4B8444NH	A3B8444LSZH**
8451	LSHF	2461C	2092		1p	22	N/A	N/A	Yes	Multi-conductor, single pair	A4B8451NH	A3B8451LSZH**
8451	LSF	2461C	2092		1p	22	N/A	N/A	Yes	Multi-conductor, single pair	-	A3B8451LSF**
8471	LSF	1899C			1p	16	N/A	N/A	N/A	Multi-conductor, high conductivity Copper Speaker cable, twisted jacket	-	A3B8471LSF**
8471	LSHF	1899C			1p	16	N/A	N/A	N/A	Multi-conductor, high conductivity Copper Speaker cable, twisted jacket	A4B8471NH	A3B8471LSZH**
8473	LSF				1p	14	N/A	N/A	N/A	Multi-conductor, high conductivity Copper Speaker cable, twisted jacket	-	A3B8473LSF**
8473	LSHF				1p	14	N/A	N/A	N/A	Multi-conductor, high conductivity Copper Speaker cable, twisted jacket	A4B8473NH	A3B8473LSZH**
8618	LSF		2093		3c	16	N/A	N/A	Yes	Multi-conductor - audio, control & instrumentation	-	A3B8618LSF**
8707	PVC		2919	232/423	7p	24	Yes	N/A	Yes		A4B8707	A3B8707PVC**
8719	LSHF	2471	2092		1p	16	N/A	N/A	Yes	Multi-conductor, single pair	A4B8719NH	A3B8719LSZH**
8720	PVC	2472	2092		1p	14	N/A	N/A	Yes	Multi-conductor, single pair	A4B8720	A3B8720PVC**
8720	LSHF	2472	2092		1p	14	N/A	N/A	Yes	Multi-conductor, single pair	A4B8720NH	A3B8720LSZH**
8723	PVC	2466C	2717		2p	22	N/A	Yes	N/A	Multi-conductor - shielded twisted pair	A4B8723	A3B8723PVC**
8723	SWA-PE	2466C	2717		2p	22	N/A	Yes	N/A	Multi-conductor - armoured, shielded twisted pair	-	A3B8723SWA/PE**
8723	PE-DUCT	2466C	2717		2p	22	N/A	Yes	N/A	Multi-conductor - duct grade shielded twisted pair	-	A3B8723PE**
8723	LSHF	2466C	2717		2p	22	N/A	Yes	N/A	Multi-conductor - shielded twisted pair	A4B8723NH	A3B8723LSZH**
8723	LSF	2466C	2717		2p	22	N/A	Yes	N/A	Multi-conductor - shielded twisted pair	-	A3B8723LSF**
8760	LSF	2421C	2092		1p	18	N/A	N/A	Yes	Multi-conductor - shielded twisted pair	-	A3B8760LSF**
8760	PE-DUCT	2421C	2092		1p	18	N/A	N/A	Yes	Multi-conductor - duct grade shielded twisted pair	-	A3B8760PE**
8760	LSHF	2421C	2092		1p	18	N/A	N/A	Yes	Multi-conductor - shielded twisted pair	A4B8760NH	A3B8760LSZH**
8761	PE-DUCT	2401C	2092		1p	22	N/A	N/A	Yes	Multi-conductor - duct grade single pair	-	A3B8761PE**
8761	LSHF	2401C	2092		1p	22	N/A	N/A	Yes	Multi-conductor - single pair	A4B8761NH	A3B8761LSZH**
8761	LSF	2401C	2092		1p	22	N/A	N/A	Yes	Multi-conductor - singled pair	-	A3B8761LSF**

Belden No	Sheath	Alpha Wire (Alt)	UL Style	RS Type	Pairs/ Cores	AWG	Braided	Individual Screen	Collective Screen		Eland Part No. Belden	Eland Part No. Belden Alt
8762	LSF	2411C	2092		1p	20	N/A	N/A	Yes	Multi-conductor - single pair	-	A3B8762LSF**
8762	PE-DUCT	2411C	2092		1p	20	N/A	N/A	Yes	Multi-conductor - duct grade single pair	-	A3B8762PE**
8762	LSHF	2411C	2092		1p	20	N/A	N/A	Yes	Multi-conductor - single pair	A4B8762NH	A3B8762LSZH**
8768	LSF				12p	22	N/A	Yes	N/A	Multi-conductor - audio, control & instrumentation	-	A3B8768LSF**
8768	PVC				12p	22	N/A	Yes	N/A	Multi-conductor - audio, control & instrumentation	A4B8768	A3B8768PVC**
8769	PVC	6020C			19p	22	N/A	Yes	N/A	Multi-conductor - CM Rated	A4B8769	A3B8769PVC**
8770	PVC	2423C	2093		3c	18	N/A	N/A	Yes	Multi-conductor - audio, control & instrumentation	A4B8770	A3B8770PVC**
8770	LSF	2423C	2093		3c	18	N/A	N/A	Yes	Multi-conductor - audio, control & instrumentation	-	A3B8770LSF**
8770	LSHF	2423C	2093		3c	18	N/A	N/A	Yes	Multi-conductor - audio, control & instrumentation	A4B8770	A3B8770LSZH**
8771	LSF	2403C	2093		3c	22	N/A	N/A	Yes	Multi-conductor - audio, control & instrumentation	-	A3B8771LSF**
8771	LSHF	2403C	2093		3c	22	N/A	N/A	Yes	Multi-conductor - audio, control & instrumentation	A4B8771	A3B8771LSZH**
8772	LSF	2413C	2093		3c	20	N/A	N/A	Yes	Multi-conductor - audio, control & instrumentation	-	A3B8772LSF**
8772	PVC	2413C	2093		3c	20	N/A	N/A	Yes	Multi-conductor - audio, control & instrumentation	A4B8772	A3B8772PVC**
8772	LSHF	2413C	2093		3c	20	N/A	N/A	Yes	Multi-conductor - audio, control & instrumentation	A4B8772NH	A3B8772LSZH**
8773	PVC	6022C			27p	22	N/A	Yes	N/A	Multi-conductor - CM Rated	A4B8773	A3B8773PVC**
8774	LSF	6014C			9p	22	N/A	Yes	N/A	Multi-conductor - CM Rated	-	A3B8774LSF**
8774	PVC	6014C			9p	22	N/A	Yes	N/A	Multi-conductor - CM Rated	A4B8774	A3B8774PVC**
8775	LSHF	6016C			11p	22	N/A	Yes	N/A	Multi-conductor - CM Rated	A4B8775NH	A3B8775LSZH**
8776	PVC	6018C			15p	22	N/A	Yes	N/A	Multi-conductor - CM Rated	A4B8776	A3B8776PVC**
8777	SWA-PE	6010C			3p	22	N/A	Yes	N/A	Multi-conductor - armoured shielded twisted pair	-	A3B8777SWA/PE**
8777	PE-DUCT	6010C			3p	22	N/A	Yes	N/A	Multi-conductor - duct grade shielded twisted pair	-	A3B8777PE**
8777	LSHF	6010C			3p	22	N/A	Yes	N/A	Multi-conductor - shielded twisted pair	A4B8777NH	A3B8777LSZH**
8778	LSHF	6012C			6p	22	N/A	Yes	N/A	Multi-conductor - CM Rated	A4B8778NH	A3B8778LSZH**
9156	LSHF	1132C			2p	18	N/A	N/A	N/A	Multi-conductor - audio, control & instrumentation	A4B9156NH	A3B9156LSZH**
9368	LSHF		2464		2p	18	N/A	Yes	Yes	Multi-conductor - 300V Power-limited tray	A4B9368NH	A3B9368LSZH**
9368	LSF		2464		2p	18	N/A	Yes	Yes	Multi-conductor - 300V Power-limited tray	-	A3B9368LSF**
9402	LSHF	6416	2464		2p	20	N/A	Yes	Yes	Multi-conductor - audio, control & instrumentation	A4B9402NH	A3B9402LSZH**
9402	LSF	6416	2464		2p	20	N/A	Yes	Yes	Multi-conductor - audio, control & instrumentation	-	A3B9402LSF**
9491	PVC				3c	22	N/A	N/A	N/A	Triad - 300V Power-limited tray	A4B9491	A3B9491PVC**
9501	PE-DUCT	5471C	2464	232	1p	22	N/A	N/A	Yes	Multi-conductor - computer cable	-	A3B9501PE**
9501	LSHF	5471C	2464	232	1p	22	N/A	N/A	Yes	Multi-conductor - computer cable	A4B9501NH	A3B9501LSZH**
9501	LSF	5471C	2464	232	1p	22	N/A	N/A	Yes	Multi-conductor - computer cable	-	A3B9501LSF**



www.elandcables.com

Belden No	Sheath	Alpha Wire (Alt)	UL Style	RS Type	Pairs/ Cores	AWG	Braided	Individual Screen	Collective Screen		Eland Part No. Belden	Eland Part No. Belden Alt
9502	PE-DUCT	5472C	2464	232	2p	22	N/A	N/A	Yes	Multi-conductor - duct grade computer cable	-	A3B9502PE**
9502	LSHF	5472C	2464	232	2p	22	N/A	N/A	Yes	Multi-conductor - computer cable	A4B9502NH	A3B9502LSZH**
9502	LSF	5472C	2464	232	2p	22	N/A	N/A	Yes	Multi-conductor - computer cable	-	A3B9502LSF**
9503	PE-DUCT	5473C	2464	232	3p	22	N/A	N/A	Yes	Multi-conductor - duct grade computer cable	-	A3B9503PE**
9503	LSHF	5473C	2464	232	3p	22	N/A	N/A	Yes	Multi-conductor - computer cable	A4B9503NH	A3B9503LSZH**
9503	LSF	5473C	2464	232	3p	22	N/A	N/A	Yes	Multi-conductor - computer cable	-	A3B9503LSF**
9504	PE-DUCT	5473C	2464	232	4p	22	N/A	N/A	Yes	Multi-conductor - duct grade computer cable	-	A3B9504PE**
9504	LSHF	5474C	2464	232	4p	22	N/A	N/A	Yes	Multi-conductor - computer cable	A4B9504NH	A3B9504LSZH**
9504	LSF	5474C	2464	232	4p	22	N/A	N/A	Yes	Multi-conductor - computer cable	-	A3B9504LSF**
9505	LSF	5474C	2464	232	5p	22	N/A	N/A	Yes	Multi-conductor - computer cable	-	A3B9505LSF**
9505	LSHF	5475C	2464	232	5p	22	N/A	N/A	Yes	Multi-conductor - computer cable	A4B9505NH	A3B9505LSZH**
9506	PE-DUCT	5476C	2464	232	6p	22	N/A	N/A	Yes	Multi-conductor - duct grade computer cable	-	A3B9506PE**
9506	LSHF	5476C	2464	232	6p	22	N/A	N/A	Yes	Multi-conductor - computer cable	A4B9506NH	A3B9506LSZH**
9506	LSF	5476C	2464	232	6p	22	N/A	N/A	Yes	Multi-conductor - computer cable	-	A3B9506LSF**
9507	LSHF	5477C	2464	232	7p	22	N/A	N/A	Yes	Multi-conductor - computer cable	A4B9507NH	A3B9507LSZH**
9508	LSHF	5478C	2464	232	8p	22	N/A	N/A	Yes	Multi-conductor - computer cable	A4B9508NH	A3B9508LSZH**
9508	LSF	5478C	2464	232	8p	22	N/A	N/A	Yes	Multi-conductor - computer cable	-	A3B9508LSF**
9509	PVC	5479C	2464	232	9p	22	N/A	N/A	Yes	Multi-conductor - computer cable	A4B9509	A3B9509PVC**
9510	LSHF	5480C	2464	232	10p	22	N/A	N/A	Yes	Multi-conductor - computer cable	A4B9510NH	A3B9510LSZH**
9510	LSF	5480C	2464	232	10p	22	N/A	N/A	Yes	Multi-conductor - computer cable	-	A3B9510LSF**
9515	PVC	5480/15C	2464	232	15p	22	N/A	N/A	Yes	Multi-conductor - computer cable	A4B9515	A3B9515PVC**
9515	LSHF	5480/15C	2464	232	15p	22	N/A	N/A	Yes	Multi-conductor - computer cable	A4B9515NH	A3B9515LSF**
9519	LSHF	5480/19C	2464	232	19p	22	N/A	N/A	Yes	Multi-conductor - computer cable	A4B9519NH	A3B9519LSZH**
9519	LSF	5480/19C	2464	232	19p	22	N/A	N/A	Yes	Multi-conductor - computer cable	-	A3B9519LSF**
9525	LSHF	5480/25C	2464	232	25p	22	N/A	N/A	Yes	Multi-conductor - computer cable	A4B9525NH	A3B9525LSZH**
9525	LSF	5480/25C	2464	232	25p	22	N/A	N/A	Yes	Multi-conductor - computer cable	-	A3B9525LSF**
9533	LSF	6300/3	2464	232	3c	24	N/A	N/A	Yes	Multi-conductor - computer cable	-	A3B9533LSF**
9534	LSHF	6300/4	2464	232	4c	24	N/A	N/A	Yes	Multi-conductor - computer cable	A4B9534NH	A3B9534LSZH**
9534	LSF	6300/4	2464	232	4c	24	N/A	N/A	Yes	Multi-conductor - computer cable	-	A3B9534LSF**
9535	LSF	6305	2464	232	5c	24	N/A	N/A	Yes	Multi-conductor - computer cable	-	A3B9535LSF**
9536	LSHF	6306	2464	232	6c	24	N/A	N/A	Yes	Multi-conductor - computer cable	A4B9536NH	A3B9536LSZH**
9536	LSF	6306	2464	232	6c	24	N/A	N/A	Yes	Multi-conductor - computer cable	-	A3B9536LSF**

Belden No	Sheath	Alpha Wire (Alt)	UL Style	RS Type	Pairs/Cores	AWG	Braided	Individual Screen	Collective Screen		Eland Part No. Belden	Eland Part No. Belden Alt
9537	PVC		2464	232	7c	24	N/A	N/A	Yes	Multi-conductor - computer cable	A4B9537	A3B9537PVC**
9538	LSHF	6300/8	2464	232	8c	24	N/A	N/A	Yes	Multi-conductor - computer cable	A4B9538NH	A3B9538LSZH**
9538	LSF	6300/8	2464	232	8c	24	N/A	N/A	Yes	Multi-conductor - computer cable	-	A3B9538LSF**
9539	LSF		2464	232	9c	24	N/A	N/A	Yes	Multi-conductor - computer cable	-	A3B9539LSF**
9540	LSHF	6300/10	2464	232	10c	24	N/A	N/A	Yes	Multi-conductor - computer cable	A4B9540NH	A3B9540LSZH**
9540	LSF	6300/10	2464	232	10c	24	N/A	N/A	Yes	Multi-conductor - computer cable	-	A3B9540LSF**
9541	LSHF	6311/15	2464	232	15c	24	N/A	N/A	Yes	Multi-conductor - computer cable	A4B9541NH	A3B9541LSZH**
9541	LSF	6311/15	2464	232	15c	24	N/A	N/A	Yes	Multi-conductor - computer cable	-	A3B9541LSF**
9542	PVC	6308	2464	232	20c	24	N/A	N/A	Yes	Multi-conductor - computer cable	A4B9542	A3B9542PVC**
9543	PVC	6309	2464	232	25c	24	N/A	N/A	Yes	Multi-conductor - computer cable	A4B9543	A3B9543PVC**
9544	PVC	6310	2464	232	30c	24	N/A	N/A	Yes	Multi-conductor - computer cable	A4B9544	A3B9544PVC**
9545	PVC	6311	2464	232	40c	24	N/A	N/A	Yes	Multi-conductor - computer cable	A4B9545	A3B9545PVC**
9546	PVC	6312	2464	232	50c	24	N/A	N/A	Yes	Multi-conductor - computer cable	A4B9546	A3B9546PVC**
9550	PVC	5480/50C	2464	232	50p	22	N/A	N/A	Yes	Multi-conductor - computer cable	A4B9550	A3B9550PVC**
9728	PVC		2493	422	4p	24	N/A	Yes	N/A	Multi-conductor - multi-pair snake	A4B9728	A3B9728PVC**
9728	LSHF		2493	422	4p	24	N/A	Yes	N/A	Multi-conductor - multi-pair snake	A4B9728NH	A3B9728LSZH**
9729	SWA-PE		2493	422	2p	24	N/A	Yes	N/A	Multi-conductor - armoured shielded twisted pair	-	A3B9729SWA/PE**
9729	PE-DUCT		2493	422	2p	24	N/A	Yes	N/A	Multi-conductor - duct grade shielded twisted pair	-	A3B9729PE**
9729	LSHF		2493	422	2p	24	N/A	Yes	N/A	Multi-conductor - shielded twisted pair	A4B9729NH	A3B9729LSZH**
9729	LSF		2493	422	2p	24	N/A	Yes	N/A	Multi-conductor - shielded twisted pair	-	A3B9729LSF**
9730	LSHF	6073C	2493	422	3p	24	N/A	Yes	N/A	Multi-conductor - multi-pair snake	A4B9730	A3B9730LSZH**
9730	LSF	6073C	2493	422	3p	24	N/A	Yes	N/A	Multi-conductor - multi-pair snake	-	A3B9730LSF**
9731	PVC	6076C	2493	422	6p	24	N/A	Yes	N/A	Multi-conductor - multi-pair snake	A4B9731	A3B9731PVC**
9731	LSHF	6076C	2493	422	6p	24	N/A	Yes	N/A	Multi-conductor - multi-pair snake	A4B9731NH	A3B9731LSZH**
9732	PVC		2493	422	9p	24	N/A	Yes	N/A	Multi-conductor - multi-pair snake	A4B9732	A3B9732PVC**
9733	PVC	6079/11C	2493	422	11p	24	N/A	Yes	N/A	Multi-conductor - multi-pair snake	A4B9733	A3B9733PVC**
9734	PVC	6079/12C	2493	422	12p	24	N/A	Yes	N/A	Multi-conductor - multi-pair snake	A4B9734	A3B9734PVC**
9735	PVC	6079/15C	2493	422	15p	24	N/A	Yes	N/A	Multi-conductor - multi-pair snake	A4B9735	A3B9735PVC**
9736	PVC		2493	422	17p	24	N/A	Yes	N/A	Multi-conductor - multi-pair snake	A4B9736	A3B9736PVC**
9737	PVC		2493	422	19p	24	N/A	Yes	N/A	Multi-conductor - multi-pair snake	A4B9737	A3B9737PVC**
9738	PVC	6079/27C	2493	422	27p	24	N/A	Yes	N/A	Multi-conductor - multi-pair snake	A4B9738	A3B9738PVC**
9740	LSF	1897C			1p	18	N/A	N/A	N/A	Multi-conductor - audio, control & instrumentation	-	A3B9740LSF**
9740	LSHF	1897C			1p	18	N/A	N/A	N/A	Multi-conductor - audio, control & instrumentation	A4B9740NH	A3B9740LSZH**

Belden No	Sheath	Alpha Wire (Alt)	UL Style	RS Type	Pairs/ Cores	AWG	Braided	Individual Screen	Collective Screen		Eland Part No. Belden	Eland Part No. Belden Alt
9744	LSHF	1317C			2p	22	N/A	N/A	N/A	Multi-conductor - audio, control & instrumentation	A4B9744NH	A3B9744LSZH**
9750	LSHF				3p	20	N/A	N/A	N/A	Multi-conductor - audio, control & instrumentation	A4B9750NH	A3B9750LSZH**
9750	PVC				3p	20	N/A	N/A	N/A	Multi-conductor - audio, control & instrumentation	A4B9750	A3B9750PVC**
9767	PVC				37p	22	N/A	Yes	N/A	Multi-conductor - CM rated	A4B9767	A3B9767PVC**
9769	PVC	6019C			17p	22	N/A	Yes	N/A	Multi-conductor - CM rated	A4B9769	A3B9769PVC**
9773	PVC	6023C	2919		3p	18	N/A	Yes	Yes	Multi-conductor - audio, control & instrumentation	A4B9773	A3B9773PVC**
9773	LSHF	6023C	2919		3p	18	N/A	Yes	Yes	Multi-conductor - audio, control & instrumentation	A4B9773NH	A3B9773LSZH**
9774	PVC	6024C	2919		6p	18	N/A	Yes	Yes	Multi-conductor - audio, control & instrumentation	A4B9774	A3B9774PVC**
9774	LSHF	6024C	2919		6p	18	N/A	Yes	Yes	Multi-conductor - audio, control & instrumentation	A4B9774NH	A3B9774LSZH**
9818	LSHF		2464	232	4c	18	N/A	N/A	Yes		A4B9818NH	A3B9818LSZH**
9818	LSF		2464	232	4c	18	N/A	N/A	Yes		-	A3B9818LSF**
9829	PVC	6401	2919	232/422	2p	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	A4B9829	A3B9829PVC**
9829	LSHF	6401	2919	232/422	2p	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	A4B9829NH	A3B9829LSZH**
9830	PVC	6402	2919	232/422	3p	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	A4B9830	A3B9830PVC**
9831	PVC	6403	2919	232/422	4p	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	A4B9831	A3B9831PVC**
9832	PVC	6404	2919	232/422	5p	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	A4B9832	A3B9832PVC**
9833	PVC	6406	2919	232/422	7p	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	A4B9833	A3B9833PVC**
9834	PVC	6407	2919	232/422	9p	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	A4B9834	A3B9834PVC**
9835	PVC	6408	2919	232/422	10p	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	A4B9835	A3B9835PVC**
9836	PVC	6409	2919	232/422	12p	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	A4B9836	A3B9836PVC**
9837	PVC	6410	2919	232/422	18p	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	A4B9837	A3B9837PVC**
9838	PVC	6411	2919	232/422	25p	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	A4B9838	A3B9838PVC**
9839	PVC	6405	2919	232/422	6p	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	A4B9839	A3B9839PVC**
9841	SWA-PE	6412	2919	485	1p	24	Yes	N/A	Yes	Multi-conductor - armoured low capacitance computer cable	-	A3B9841SWA/PE**
9841	PE-DUCT	6412	2919	485	1p	24	Yes	N/A	Yes	Multi-conductor - duct grade low capacitance computer cable	-	A3B9841PE**
9841	LSHF	6412	2919	485	1p	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	A4B9841NH	A3B9841LSZH**
9841	LSF	6412	2919	485	1p	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	-	A3B9841LSF**
9842	SWA-PE	6413	2919	485	2p	24	Yes	N/A	Yes	Multi-conductor - armoured low capacitance computer cable	-	A3B9842SWA/PE**
9842	PE-DUCT	6413	2919	485	2p	24	Yes	N/A	Yes	Multi-conductor - duct grade low capacitance computer cable	-	A3B9842PE**
9842	LSHF	6413	2919	485	2p	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	A4B9842NH	A3B9842LSZH**
9842	LSF	6413	2919	485	2p	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	-	A3B9842LSF**
9843	PVC	6414	2919	485	3p	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	A4B9843	A3B9843PVC**
9843	LSHF	6414	2919	485	3p	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	A4B9843NH	A3B9843LSZH**



Multi-Conductor Computer Cables

Belden No	Sheath	Alpha Wire (Alt)	UL Style	RS Type	Pairs/ Cores	AWG	Braided	Individual Screen	Collective Screen		Eland Part No. Belden	Eland Part No. Belden Alt
9844	PVC	6415	2919	485	4p	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	A4B9844	A3B9844PVC**
9844	LSHF	6415	2919	485	4p	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	A4B9844NH	A3B9844LSZH**
9873	LSHF	6033C	2919		3p	20	N/A	Yes	Yes	Multi-conductor - audio, control & instrumentation	A4B9873NH	A3B9873LSZH**
9873	LSF	6033C	2919		3p	20	N/A	Yes	Yes	Multi-conductor - audio, control & instrumentation	-	A3B9873LSF**
9874	PVC	6036C	2919		6p	20	N/A	Yes	Yes	Multi-conductor - audio, control & instrumentation	A4B9874	A3B9874PVC**
9875	PVC	6039C	2919		9p	20	N/A	Yes	Yes	Multi-conductor - audio, control & instrumentation	A4B9875	A3B9875PVC**
9876	PVC		2919		11p	20	N/A	Yes	Yes	Multi-conductor - audio, control & instrumentation	A4B9876	A3B9876PVC**
9877	PVC	6042C	2919		12p	20	N/A	Yes	Yes	Multi-conductor - audio, control & instrumentation	A4B9877	A3B9877PVC**
9879	PVC		2919		15p	20	N/A	Yes	Yes	Multi-conductor - audio, control & instrumentation	A4B9879	A3B9879PVC**
9925	PVC	6351	2919	232/423	3c	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	A4B9925	A3B9925PVC**
9927	PVC	6352	2919	232/423	4c	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	A4B9927	A3B9927PVC**
9929	PVC	6353	2919	232/423	5c	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	A4B9929	A3B9929PVC**
9931	PVC	6354	2919	232/423	6c	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	A4B9931	A3B9931PVC**
9932	PVC	6355	2919	232/423	7c	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	A4B9932	A3B9932PVC**
9933	PVC	6356	2919	232/423	8c	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	A4B9933	A3B9933PVC**
9934	PVC	6357	2919	232/423	9c	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	A4B9934	A3B9934PVC**
9935	PVC	6358	2919	232/423	10c	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	A4B9935	A3B9935PVC**
9936	PVC	6359	2919	232/423	15c	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	A4B9936	A3B9936PVC**
9937	PVC	6360	2919	232/423	25c	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	A4B9937	A3B9937PVC**
9938	PVC	6361	2919	232/423	37c	24	Yes	N/A	Yes	Multi-conductor - low capacitance computer cable	A4B9938	A3B9938PVC**
9939	PVC	6339	2464	232	3c	22	Yes		Yes	Multi-conductor - computer cable	A4B9939	A3B9939PVC**
9940	PVC	6340	2464	232	4c	22	Yes		Yes	Multi-conductor - computer cable	A4B9940	A3B9940PVC**
9941	PVC	6341	2464	232	5c	22	Yes		Yes	Multi-conductor - computer cable	A4B9941	A3B9941PVC**
9942	PVC	6342	2464	232	6c	22	Yes		Yes	Multi-conductor - computer cable	A4B9942	A3B9942PVC**
9943	PVC	6433	2464	232	7c	22	Yes		Yes	Multi-conductor - computer cable	A4B9943	A3B9943PVC**
9944	PVC	6344	2464	232	8c	22	Yes		Yes	Multi-conductor - computer cable	A4B9944	A3B9944PVC**
9945	PVC	6345	2464	232	9c	22	Yes		Yes	Multi-conductor - computer cable	A4B9945	A3B9945PVC**
9946	PVC	6346	2464	232	10c	22	Yes		Yes	Multi-conductor - computer cable	A4B9946	A3B9946PVC**
9947	PVC	6347	2464	232	15c	22	Yes		Yes	Multi-conductor - computer cable	A4B9947	A3B9947PVC**
9948	PVC	6348	2464	232	25c	22	Yes		Yes	Multi-conductor - computer cable	A4B9948	A3B9948PVC**
9949	PVC	6349	2464	232	37c	22	Yes		Yes	Multi-conductor - computer cable	A4B9949	A3B9949PVC**
9950	PVC	6350	2464	232	50c	22	Yes		Yes	Multi-conductor - computer cable	A4B9950	A3B9950PVC**
5304FE	PVC				6c	18	N/A	N/A	Yes	Multi-conductor - commercial applications	A4B5304FE	A3B5304FEPVC**