



Dual Entry Cord End Terminals



Eland Product Group: **FCA**

APPLICATION

Dual entry cord end terminals are designed to accommodate two cables terminating in the same sleeve, prior to fitting screw type terminal blocks or connectors. The crimped on dual entry cord end terminal then protects the exposed wire strands from damage from the screw, which results in a stronger connection.

THE CABLE LAB[®]

AN ISO/IEC 17025 AND IECCE CBTL ACCREDITED FACILITY

Our world-class testing facility assures the quality and compliance of this cable through a continuous and rigorous testing regime.



CONSTRUCTION

Material

Tinned copper

SUSTAINABILITY COMMITMENT

We are on a journey to Net Zero.

We've committed to near-term emissions reductions and a net-zero target with the Science Based Targets initiative and we're a signatory to the United Nations Global Compact Sustainable Development Goals.

Learn more about embodied carbon and our carbon emissions reduction actions, our comprehensive recycling services, and wider ESG activities for sustainable operations at: www.elandcables.com/company/about-us/esg-sustainability



REGULATORY COMPLIANCE

This cable meets the requirements of the RoHS Directive 2015/65/EU and Reach Directive EC 1907/2006. RoHS compliance has been tested and confirmed by The Cable Lab[®].



DIMENSIONS

ELAND PART NO.	CABLE SIZE mm ²	COLOUR	PIN WIDTH mm	ENTRY WIDTH mm	TOTAL LENGTH mm	PIN LENGTH mm	PIN WALL THICKNESS mm	ENTRY WALL THICKNESS mm
FCEET2 x 0.5	2 x 0.5	White	1.5	4.7	15	8	0.15	0.25
FCEET2 x 0.75	2 x 0.75	Grey	1.8	5	15	8	0.15	0.25
FCEET2 x 1G	2 x 1	Yellow	2.05	5.4	15	8	0.15	0.3
FCEET2 x 1F	2 x 1	Red	2.05	5.4	15	8	0.15	0.3
FCEET2 x 1.5F	2 x 1.5	Black	2.3	6.6	16	8	0.15	0.3
FCEET2 x 2.5	2 x 2.5	Blue	2.9	7.8	18.5	12	0.2	0.3
FCEET2 x 4	2 x 4	Grey	3.8	8.8	23	12	0.2	0.4
FCEET2 x 6	2 x 6	Yellow	4.9	10	26	14	0.2	0.4
FCEET2 x 10	2 x 10	Red	6.5	13	26	14	0.2	0.4

The information contained within this datasheet is for guidance only and is subject to change without notice or liability. All the information is provided in good faith and is believed to be correct at the time of publication. When selecting cable accessories, please note that actual cable dimensions may vary due to manufacturing tolerances.