


Cockroach Overhead Line (AAC) PVC Cable



Eland Product Group: A3BR

APPLICATION

This overhead line aluminium conductor cable has multiple uses, primarily for Bonding.

CHARACTERISTICS

Description

'Cockroach', 266-AL1 PVC Insulated

CONSTRUCTION

Conductor

Stranded aluminium conductor

Insulation

PVC (Polyvinyl Chloride) Type T11

Insulation Colour

● Red ● Black ● Yellow ● Green

CABLE THIRD-PARTY ACCREDITATION



Network Rail (NR) certified and PADS listed as meeting the requirements for installation on their network

Network Rail Certificate of Acceptance No: PA05/05259

STANDARDS

BS EN 50182, BS 215-1, BS EN 50363

THE CABLE LAB[®]

AN ISO/IEC 17025 AND IECCE CBTL ACCREDITED FACILITY

Our world-class testing facility assures the quality and compliance of this cable through a continuous and rigorous testing regime.



SUSTAINABILITY COMMITMENT

We are on a journey to Net Zero.

We've committed to near-term emissions reductions and a net-zero target with the Science Based Targets initiative and we're a signatory to the United Nations Global Compact Sustainable Development Goals.

Learn more about embodied carbon and our carbon emissions reduction actions, our comprehensive recycling services, and wider ESG activities for sustainable operations at: www.elandcables.com/company/about-us/esg-sustainability



SCIENCE
BASED
TARGETS

**BUSINESS
AMBITION FOR 1.5°C**



REGULATORY COMPLIANCE

This cable meets the requirements of the RoHS Directive 2015/65/EU and Reach Directive EC 1907/2006. RoHS compliance has been tested and confirmed by The Cable Lab[®].



DIMENSIONS

ELAND PART NO.	NETWORK RAIL PART NO./ PADS	DRAWING NO.	NOMINAL CROSS SECTIONAL AREA mm ²	NO. OF STRANDS	NOMINAL DIAMETER OF STRANDS mm	NOMINAL THICKNESS OF SHEATH mm	NOMINAL OVERALL DIAMETER mm	NOMINAL WEIGHT kg/km
A3BR250PVCBK	0091/010319	148/047	266	19	4.22	1.6	24.3	914
A3BR250PVCRD	0091/010319	148/047	266	19	4.22	1.6	24.3	914
A3BR250PVCYW	0091/010319	148/047	266	19	4.22	1.6	24.3	914
A3BR250PVCGN	0091/010319	148/047	266	19	4.22	1.6	24.3	914

The information contained within this datasheet is for guidance only and is subject to change without notice or liability. All the information is provided in good faith and is believed to be correct at the time of publication. When selecting cable accessories, please note that actual cable dimensions may vary due to manufacturing tolerances.