

GM-EMV Earthing Locknut



Eland Product Group: **HUM**

APPLICATION

A metric gland locknut which secures connection by cutting through lacquered, anodised or powdered housings, fixing to the underlying metallic braid and providing optimum electromagnetic protection (EMC). Also used as an bonding nut for earthing. Compatible with the Hummel EMV Earthing cable gland.

THE CABLE LAB[®]

AN ISO/IEC 17025 AND IECEE CBTL ACCREDITED FACILITY


Our world-class testing facility assures the quality and compliance of this cable through a continuous and rigorous testing regime.



CONSTRUCTION

Material

Nickel plated brass



SUSTAINABILITY COMMITMENT

We are on a journey to Net Zero.

We've committed to near-term emissions reductions and a net-zero target with the Science Based Targets initiative and we're a signatory to the United Nations Global Compact Sustainable Development Goals.

Learn more about embodied carbon and our carbon emissions reduction actions, our comprehensive recycling services, and wider ESG activities for sustainable operations at: www.elandcables.com/company/about-us/esg-sustainability



SCIENCE
BASED
TARGETS

BUSINESS
AMBIITION FOR **1.5°C**




REGULATORY COMPLIANCE

This cable meets the requirements of the RoHS Directive 2015/65/EU and Reach Directive EC 1907/2006. RoHS compliance has been tested and confirmed by The Cable Lab[®].



DESCRIPTION

ELAND PART NO.	IG	H mm	 mm	S mm
HUMLECM12MNP000	M 12 x 1.5	2.8	15	0.7
HUMLECM16MNP000	M 16 x 1.5	2.8	19	0.7
HUMLECM20MNP000	M 20 x 1.5	3	24	0.7
HUMLECM25MNP000	M 25 x 1.5	3.5	30	0.7
HUMLECM32MNP000	M 32 x 1.5	4.5	36	0.7
HUMLECM40MNP000	M 40 x 1.5	5	46	0.7
HUMLECM50MNP000	M 50 x 1.5	5	60	0.7
HUMLECM63MNP000	M 63 x 1.5	6	70	0.7